



General Certificate of Secondary Education

Chemistry 4421

CHY3H Unit Chemistry 3

Mark Scheme

2009 examination – January series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2009. AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

MARK SCHEME

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

- 2.1** In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.)

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a candidate writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

COMPONENT NUMBER: CHY3H**COMPONENT NAME: Chemistry****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
1(a)(i)	hydrochloric acid / HCl	accept any (named) acid	1
	carbon dioxide / CO ₂	accept bubbles / fizz / gas or limewater gets milky ignore 'add limewater' do not accept other named gases 2 nd mark dependant on first mark accept for this answer only heat gives CO ₂ / limewater milky = 1 mark	1
1(a)(ii)	(white) precipitate / solid	ignore names of substances even if incorrect accept <u>white</u> deposit / substance do not accept any coloured precipitate	1
1(a)(iii)	eg flame colour of (Na) and flame colour of (K) interfere / mask / mix with each other	accept 'can't see the colours' or 'difficult to determine the colour' or 'both produce <u>different</u> colours' or a correct statement of colours or hard to distinguish	1
1(b)(i)	eg essential (mineral) or everyone needs it / some (salt) or problems with health if have no salt	accept preservative / flavouring / taste it = salt (all) foods contain / use it / sodium chloride / salt	1

Question 1 continued on the next page...

COMPONENT NUMBER: CHY3H**COMPONENT NAME: Chemistry****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
2(a)	eg plastic (beaker) / insulation / lid / cover or any mention of enclosed	any sensible modification to reduce heat loss ignore prevent draughts ignore references to gas loss	1
2(b)	all the substances react or all (the substances) react fully / completely or heat evolved quickly or distribute heat	accept to mix them 'so they react' is insufficient for the mark accept increase chances of (successful) collisions / collision rate increase do not accept rate of reaction increase / make reaction faster	1
2(c)	experiment 2 and different / higher / initial / starting temperature	accept experiment 2 and the room is hotter / at higher temperature do not accept temperature change / results higher	1
2(d)	temperature change does not fit pattern	accept anomalous / odd or it is the lowest or it is lower than the others or it is different <u>to the others</u> 'results are different' is insufficient	1
2(e)	7 / 7.0		1
2(f)	$(100 \times 4.2 \times 7) = 2940$	ecf from (e)	1
2(g)	diagram A and reaction exothermic / heat evolved / ΔH is negative / temperature rises	accept energy is lost (to the surroundings)	1
Total			7

COMPONENT NUMBER: CHY3H**COMPONENT NAME: Chemistry****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
3(a)	evaporation condensation any one from: <ul style="list-style-type: none"> • (evaporation) by sun • water vapour / clouds rise / cool • water falls as rain / snow / hail / sleet / "precipitation" • water flows from river to the sea 	starting point of description does not have to start with evaporation references to steam / boiling max 2 marks accept liquid turns to vapour accept vapour turns into liquid 'cloud forms' is insufficient	 1 1 1
3(b)(i)	calcium (ion) / Ca^{2+}	ignore any formula if ion only must be correct accept magnesium (ion) / Mg^{2+} do not accept named compounds	1
3(b)(ii)	contact with rocks (ions / substances) dissolved / soluble / leached / reacts	accept named rocks ignore ground / deposits / soil / minerals / ores ignore erode / corrode / picks up / absorb	1 1
3(b)(iii)	(ions / substances / they) react / replace / remove forms precipitate / insoluble / solid	accept displace if ion exchange (column) = max 1 mark	1 1
Total			8

COMPONENT NUMBER: CHY3H**COMPONENT NAME: Chemistry****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
4(a)	$40 (\text{Ca}) + 137 (\text{Ba}) \div 2 = 88.5$	accept a recognition that the average is near 88 or it is the average of the other two accept Sr is midway between Ca and Ba	1
4(b)	eg newly discovered elements / atoms didn't fit (into triads) or didn't apply to all elements / atoms or lot of exceptions	he = Döbereiner ignore Mendeleev left spaces or not enough evidence	1
4(c)	any two from: <ul style="list-style-type: none"> • fizzes / bubbles / gas • violent / vigorous / explodes / <u>very</u> fast reaction • floats / on surface • moves (very quickly) • melts (into a ball) • bursts into flame • gets smaller / (reacts to) form a solution / dissolves / disappears etc • steam / gets hot (owtte) 	hydrogen alone is insufficient ignore incorrect name if 'gas' stated accept container explodes ignore strong reaction ignore sinks accept (bright) light ignore colour / glow ignore alkaline solutions or change in colour etc	2
4(d)(i)	same number of electrons in outer shell	accept energy level for shell accept a correct reference to a specific group eg (all) have one electron in outershell / (all) lose one electron (when they react)	1

Question 4 continues on the next page...

COMPONENT NUMBER: CHY3H**COMPONENT NAME: Chemistry****STATUS: Final****DATE: January 2009****Question 4 continued...**

question	answers	extra information	mark
4(d)(ii)	electrons fill an inner / 3 rd shell	accept energy level for shell accept d-level being filled accept specific reference to 3rd shell accept descriptions in terms of 3d & 4s etc	1
	(usually) same number of outer / 4 th shell electrons		1
4(d)(iii)		it = lithium accept energy level for shell or converse reasoning for potassium	
	outer shell electron closer to nucleus	accept fewer shells / smaller atom	1
	more (electrostatic) attraction (to nucleus) / electrons less likely to be lost	accept less shielding / isn't much shielding ignore nucleus has more influence but accept nucleus has more influence over the outer electron(s) do not accept magnetic / gravitational attraction	1
Total			9

COMPONENT NUMBER: CHY3H**COMPONENT NAME: Chemistry****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
5(a)(i)	(HCl / acid has) hydrogen ions / H ⁺	accept H <u>ions</u> do not accept H ⁻ / protons / proton donor	1
5(a)(ii)	(NaOH / base / alkali has) hydroxide ions / hydroxyl ions / OH ⁻	accept OH <u>ions</u> do not accept proton acceptor	1
5(a)(iii)	equal numbers of H ⁺ and OH ⁻ or H ⁺ cancel OH ⁻ out	accept (H ₂ O) contains H ⁺ and OH ⁻ accept H ⁺ + OH ⁻ → H ₂ O accept H ⁺ has neutralised OH ⁻ or converse ignore ionic charge is balanced ignore acid and basic species equal	1
5(b)	proton donor	ignore base / alkali is a proton acceptor	1
5(c)	any one from the following ideas: <ul style="list-style-type: none"> no previously (proven) theory of ion formation not enough evidence / not enough proof / lack of information lack of communication / technology his (scientific) reputation questioned or not regarded highly ideas ahead of his time / subatomic particles not known 	accept 'he thought of it first' ignore <u>no</u> evidence / proof accept evidence increased over time ignore he spoke a foreign language ignore 'because he was young / a student' accept his ideas did not work for ammonia (gas)	1
Total			5

COMPONENT NUMBER: CHY3H**COMPONENT NAME: Chemistry****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
6(a)	bromine (water) / Br ₂	accept iodine / I ₂	1
	decolourised / goes (from orange / red brown/ brown / yellow) colourless	dependent on first mark ignore goes clear / discoloured do not accept wrong colours	1
6(b)	(smell) warns of a leak / gas escape	accept leak / gas escape by implication ignore smell alone	1
6(c)	eg (mass spectrometry gives) different molecular ions / Mr / formula mass or shows that one has mass 44 and the other 58	' mass of butane is more than mass of propane' is insufficient accept different fragmentation / pattern do not accept A _r / RAM accept references to butane deflects less or converse	1

Question 6 continued on the next page...

COMPONENT NUMBER: CHY3H**COMPONENT NAME: Chemistry****STATUS: Final****DATE: January 2009****Question 6 continued...**

question	answers	extra information	mark
6(d)	$\begin{array}{r} \text{CO}_2 \\ 1.1 \\ \hline 44 \end{array}$ $= 0.025$ <p>1 (mole) CO₂</p> <p>1</p> <p>or</p> <p>CH₄</p> <p>or alternative method</p> <p>Mass of C = $\frac{12}{44} \times 1.1 = 0.3\text{g}$ (1)</p> <p>Mass of H = $\frac{2}{18} \times 0.9 = 0.1\text{g}$ (1)</p> <p style="text-align: center;">C : H</p> <p style="text-align: center;">$\frac{\text{mass}}{M_r} \quad \frac{0.3}{12} : \frac{0.1}{1}$</p> <p>proportions 0.025 : 0.1 (1)</p> <p>whole number 1 : 4 (1)</p> <p>or</p> <p>CH₄</p>	<p>2 H₂O</p> $\begin{array}{r} 0.9 \\ \hline 18 \end{array}$ $= 0.05$ <p>2 (moles) H₂O</p> <p>4</p> <p>correct formula with no working is only 1 mark</p> <p>M3 can be awarded from the formula if steps one and two are clear</p> <p>correct formula from their incorrect ratio gets 1 mark</p> <p>if fraction is wrong way around e.g. M_r / mass, then lose M1 and M2 but accept ecf for M3 and M4</p>	<p>max 4</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>
Total			8